

To,

MSACS/Proc/RPR Kit /2024-25

Date : 10/06/2024

**Sub:- Quotation for “Procurement of Rapid Plasma Reagin (RPR)” for Syphilis Testing F.Y. 2023-24.”**

1. You are invited to submit your most competitive rate for the following Rapid Plasma Reagin (RPR)” for Syphilis Testing:

**Delivery Period:**

It will be binding on you to supply of Syrup Zidovudine within 30 days from the date of receipt of purchase order.

2. **Bid Price**

- a. The contract shall be for the full quantity as described above. Corrections, if any, shall be made by crossing out.
- b. All duties, taxes and other levies payable on the raw materials and components shall be included in the total price.
- c. GST in connection with the sale shall be shown separately.
- d. The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- e. The Prices shall be quoted in Indian Rupees only.

3. Each bidder shall submit only one Quotation.

4. **Validity of Quotation**

Quotation shall remain valid for a period not less than 30 days after the deadline date specified for submission.

5. **Evaluation of Quotation**

The Purchaser will evaluate and compare the Quotation determined to be substantially responsive i.e. which are

- a) properly signed; and
  - b) conform to the terms and conditions and specifications he
- quotations would be evaluated for each item separately.  
GST in connection with sale of drugs shall not be taken into account in evaluation.

6. **Award of Contract**

The Purchaser will award the contract to the bidder whose Quotation has been determined to be substantially responsive and who has offered the lowest evaluated Quotation price.

6.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any Quotations and to cancel the bidding process and reject all Quotations at any time prior to the award of contract.

6.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the Quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

7. Payment shall be made within 15 days from the receipt of bill.

8. As per prevailing rules TDS / SGST / CGST will deducted at source towards income tax / SGST / CGST from all the bills submitted to the Maharashtra State AIDS Control Society.

9. Expiry (Shelf life) of the drugs should not be less than 24 months at the time of delivery of the drugs.

10. Quotations from the manufacturers and their authorized distributors / agent / stockiest / are invited. The Quotations from authorized distributors / agents / stockiest should accompany a letter of authority from the manufacturer authorizing item to quote for the drugs.

11. Quotation should submit documentary evidence that they have requisite qualifications, experience, past performance and capacity to complete the supply successfully on time for the drugs offered.
12. Quotation should also submit along with the Quotation Certificate of Pharmaceutical Products/Valid WHO GMP Certificate and Valid FDA License.
13. Quotation should also submit Quality Assurance Certificate from Govt. laboratory or recognized institute along with the supply.
14. Vendors should offer full quantity of the item.
15. Purchaser reserves the right at the time of contract award to increase or decrease the quantities indicated above by 25% without any change in the unit price or any other terms & conditions.
16. The quotation shall be enclosed in sealed envelope sealed with sealing wax only Male pasting on envelope will not suffice and such quotations will not be accepted.
17. Incomplete, irregular, unsealed, unsigned and Quotations received after the due date and time will not be considered.
18. The Quotation must fill up the rates in the format given along with the Quotations notice. The quotation must be stamped and signed by authorized person. If it is filled up in any other format, the same shall be rejected outright.
19. Copy of GST Certificate should be submitted.
20. Copy of PAN card with photographs should be submitted.
21. The Quotation must paginate the Quotation properly.
22. Penalty
  - a) For delay supply of drugs —1/2% per week or part thereof after the expiry of the delivery period subject to maximum 10%.
  - b) Variation in specification — material will be rejected and cost of the said recovered from the supplier.
23. Last Date and time of receipt of Quotations:

The Quotation must fill up the rates in the format given along with the Quotations notice. Quotation should submit their sealed Quotation in sealed envelope sealed with sealing wax only duly super-scribed on the envelope as “Quotation for “Procurement of Rapid Plasma Reagin (RPR)” F.Y. 2023-24 for STI Centers.” due on 17.06.2024 latest by 5.30 p.m.
24. Quotations will be opened in the presence of the bidders or their representative who choose to attend at 11.00 pm on 18.06.2024 in the office of the Maharashtra State AIDS Control Society, Wadala, Mumbai — 400 031
25. We look forward to receiving your quotations and thank you for your interest in this Project.

---

**Technical Specification of Rapid Plasma Reagin (RPR) for Syphilis Testing**

1. The indigenous RPR (Rapid Plasma Reagin) kits should have been manufactured under manufacturing license issued by the State Licensing Authority under the Drugs and Cosmetics Act, the imported kits should have been imported under import license issued by the DCG(I) under the Drugs and Cosmetics Act 1940 & Rule 1945 and/or medical devices rule 2017.
2. Literature detailing the components, methodologies, validity criteria, performance characteristics, storage conditions, manufacturing, limitations and expiry date should be provided with each kit.
3. The assay should be calibrated to WHO reference standards from a third party accredited laboratory.
4. The assay should be suitable to perform with either serum or plasma.
5. The assay should allow for qualitative and semi quantitative determination of Reagin antibodies in serum or plasma for sera-diagnosis of syphilis based on flocculation principle using non- treponemal antigens.
6. The assay should have sensitivity of 285% or more in primary syphilis and a specificity of 293% or more.
7. The test should be able to yield results within 30 minutes.
8. The pack size of RPR test kit should be less than or equal to 50 tests per kit.
9. The assay components should include positive and negative serum controls sufficient for conducting 20% of the tests (10% negative and 10% positive controls).
10. The kit should have all essential accessories required for the test such as cards, droppers, applicator, etc. in adequate quantities for the number of tests to be performed.
11. The kits should have a shelf life of 24 months, at least 5/6th of the minimum shelf life must remain at the time of dispatch to the consignee.
12. The kit should have a storage temperature of 2° C to 8°C and supplier/ local agent should have the facility to store kits at 2° C to 8°C.
13. Cumulative Time Temperature Indicator should be part of the kit as per specifications defined in the terms and conditions.
  - i) Expiry date of all the above drugs should be minimum 24 months from the date of delivery of offered drugs.
  - ii) Stamp of “NACO/MSACS/Government Supply- Not/or Sale” should be put on drugs (on the strip / bottle / box)
  - iii) Valid Certificate of WHO-GMP/COPP will be required.
  - iv) **Delivery Period** : Within 30 days from the date of receipt of purchase order.

Date :-

To,  
The Project Director  
Maharashtra AIDS Control Society  
R. A. Kidwai Marg, Near Wadala Over bridge,  
Wadala (W), Mumbai – 400 031.

**Sub: Quotation for “Procurement of Rapid Plasma Reagin (RPR) F.Y. 2024-25.”**

**Ref :- Your inquiry no. MSACS/Proc/ Rapid Plasma Reagin (RPR)/2024-25 date**

Technical Specifications of Rapid Plasma Reagin (RPR)’’ for Syphilis Testing

Sr. No.	Technical Specification	Quantity for Test	Amount
1	1. The indigenous RPR (Rapid Plasma Reagin) kits should have been manufactured under manufacturing license issued by the State Licensing Authority under the Drugs and Cosmetics Act, the imported kits should have been imported under import license issued by the DCG(I) under the Drugs and Cosmetics Act 1940 & Rule 1945 and/or medical devices rule 2017. 2. Literature detailing the components, methodologies, validity criteria, performance characteristics, storage conditions, manufacturing, limitations and expiry date should be provided with each kit. 3. The assay should be calibrated to WHO reference standards from a third party accredited laboratory. 4. The assay should be suitable to perform with either serum or plasma. 5. The assay should allow for qualitative and semi quantitative determination of Reagin antibodies in serum or plasma for sera-diagnosis of syphilis based on flocculation principle using non- treponemal antigens. 6. The assay should have sensitivity of 285% or more in primary syphilis and a specificity of 293% or more. 7. The test should be able to yield results within 30 minutes. 8. The pack size of RPR test kit should be less than or equal to 50 tests per kit. 9. The assay components should include positive and negative serum controls sufficient for conducting 20% of the tests (10% negative and 10% positive controls). 10. The kit should have all essential accessories required for the test such as cards, droppers, applicator, etc. in adequate quantities for the number of tests to be performed. 11. The kits should have a shelf life of 24 months, at least 5/6th of the minimum shelf life must remain at the time of dispatch to the consignee. 12. The kit should have a storage temperature of 2° C to 8°C and supplier/ local agent should have the facility to store kits at 2° C to 8°C. 13. Cumulative Time Temperature Indicator should be part of the kit as per specifications defined in the terms and conditions.	239000	
	<b>Total Amount</b>		
	<b>GST %</b>		
	<b>Gross Amount</b>		

Gross Total Cost: Rs.

We agree to supply the above drugs in accordance with the technical specifications for a total contract price of  
 Rs. (amount in figures) (amount in words) within the period specified in the invitation for Quotations.

We also confirm that the Expiry (Shelf life) of the drugs is 24 months shall apply to the offered drugs.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.